



Solid Panel

FilaSorb™ 7

acoufelt
making quiet

Product Detail


Product	Solid Panel
Surface	Wall
Composition	100% Polyester
Material	FilaSorb™
Recycled Content	60% min.
Weight	0.29 lb/ft ² +/- 10%
Dimension	48"W x 110"H
	Custom size available upon request
Thickness	7mm 0.28" +/- 10%
Mounting Methods	Adhesive Backing Construction Adhesive Z Clip Wall Mount

Technical Data

Fire Test Method Number	ISO 9705: 1993 Group 1 AS ISO 9705:2003 Group 1 ASTM E84-17a Class A
Indoor Air Quality	Low VOCs emission, formaldehyde and Phenol-free
Light Fastness	ISO 105-B02 1994, 6-7

Acoustic Performance


Sound Absorption ISO 354-2006 NRC 0.25 (7mm no air gap)



Frequency f (Hz)	125	250	500	1000	2000	4000	NRC
7mm α _s No Air Gap	0.06	0.02	0.08	0.28	0.57	0.78	0.25

Product Drawing

Elevation



Perspective



Guarantees

Lead Time	Ships in 4-6 weeks
Light Fastness Warranty	10 Years*
Customizable	Yes
	* conditions apply


Environmental Attributes

- Declare Certification
- LCB Red List Free
- Phenol And Formaldehyde Free
- Low VOC
- CDPH Compliance
- Aligns With Building Standards




Declare.


Colorways



Charcoal
CH01



Grey
GR02



Metal
ME03



Platinum
PL04