



Barcode

FilaSorb™ 12

acoufelt
making quiet

Product Detail


Product	Barcode
Surface	Wall
Composition	100% Polyester
Material	FilaSorb™
Recycled Content	60% min.
Weight	0.49 lb/ft +/- 10%
Dimension	24"W x 12"H
	Custom size available upon request
Thickness	12mm 0.47" +/- 10%

Technical Data

Fire Test Method Number	ISO 9705: 1993 Group 1 AS ISO 9705:2003 Group 1 ASTM E84-17a Class A
Indoor Air Quality	Low VOCs emission, formaldehyde and Phenol-free
Light Fastness	ISO 105-B02 1994, 6-7

Acoustic Performance

Sound Absorption ISO 354-2006 NRC 0.45



Frequency f (Hz)	125	250	500	1000	2000	4000	NRC
12mm a, No Air Gap	0.06	0.02	0.23	0.61	0.89	0.95	0.45

Guarantees

Lead Time	Ships in 4-6 weeks
Light Fastness Warranty	10 Years*
Customizable	Yes

Environmental Attributes


- Declare Certification
- LCB Red List Free
- Phenol And Formaldehyde Free
- Low VOC
- CDPH Compliance
- Aligns With Building Standards




Declare.

Design


Barcode 1 Elevation




Barcode 1 Perspective



Barcode 2 Elevation




Barcode 2 Perspective




Recommended Layout


Barcode 1 Layout



Barcode 2 Layout




50% Barcode 1 And 50% Barcode 2 Layout




Mounting Methods


Adhesive Backing




Construction Adhesive



Z-Clip Mount




Colorways



Lipstick Red
LI14




Carrot
CA08



Butter
BU07



Popcorn
PO26




Pistachio
PI25




Wasabi
WA29



Thistle
TH28



Peacock
PE20



Oregano
OR18



Kale
KA12



Denim
DE09



Midnight
MI16




Azur
AZ05



Marine
MA15




Periwinkle
PE23



Iris
IR10



Berry
BE06



Lilac
LI13



Peach
PE19




Peppercorn
PE22



Piano Black
PI24



Charcoal
CH01




Slate
SL27



Grey
GR02



Metal
ME03



Platinum
PL04



White
WH12



Pearl
PE21



Ivory
IV11